

document-states-report macro

Overview

The `{document-states-report}` macro is used to create custom reports on workflow states, reviews and tasks.

Where to use it?

Optional.

One or more `{document-states-report}` macros can be used in wiki pages, blog posts, and, in some cases, comments - see [Reporting Guide > Reporting Macros > Document States Report Macro](#)

It can also be used in any macro which supports **wiki content** in its *Macro body* (check relevant macro documentation for details).

Parameters

Parameter	Required	Default	Notes	Ver
<code>approvalName</code>		all	<p>The name of a content review.</p> <ul style="list-style-type: none">• Leave empty to include all content <p>The name is defined by the <code>{approval}</code> macro and is shown in the Workflow Popup during Content reviews.</p>	
<code>approvalAssignedTo</code>		all	<p>Should the report be filtered to content that the specified user(s) has been assigned to review? Value is one or more usernames separated by a comma..</p> <ul style="list-style-type: none">• Leave empty to include all content• Specify a username to filter to results which that user is assigned to review• Specify <code>@self</code> to filter to results that the current user is assigned to review	
<code>approvalStatus</code>		all	<p>Only applies if an approval name filter is specified, which stage of the content review should the content be in?</p> <ul style="list-style-type: none">• pending – the review is not yet complete• approved – the review was approved• rejected – the review was rejected	
<code>columns</code>		<code>title*</code> , <code>state</code> , <code>changed</code> , <code>updated by</code> , <code>updated</code>	<p>Report columns displayed can be set to be one or more of</p> <p>From Comala Document Management 6.13:</p> <ul style="list-style-type: none">• <code>title</code>• <code>state</code>• <code>approvals</code>• <code>approval status</code>• <code>changed</code>• <code>updated by</code>• <code>updated</code> <p>From Comala Document Management 6.16:</p> <ul style="list-style-type: none">• <code>approved version</code>• <code>approved version approvers</code>• <code>approved version date</code>• <code>created</code>• <code>due date</code>• <code>readack status</code>• <code>space</code>• <code>workflow</code> <p>Columns are displayed in the order the items are added in the macro editor.</p> <p>*<code>title</code> item is always displayed.</p>	
<code>content-title</code>		all	<p>Filter report for specific named content.</p>	

filter		all	<p>You can provide a comma-separated list of CQL filters in the form FieldName:Value – the values must be indexed.</p> <ul style="list-style-type: none"> • Workflow CQL Fields • Advanced Searching Using CQL (Atlassian) • CQL Field Reference (Atlassian) • CQL Function Reference (Atlassian) • CQL Keywords Reference (Atlassian) • CQL Operators Reference (Atlassian) • Performing Text Searches with CQL (Atlassian)
label			<p>Should the report be filtered by content label(s)?</p> <ul style="list-style-type: none"> • Leave empty to include all content • Specify one label name to filter to a specific label • List multiple label names, separated by commas, to filter to content with any of those labels <p>If using a list of labels, you can prefix the list with & (ampersand) to require that content has all the labels.</p>
maxItems		20	The number of results to show per page.
order		descending	<p>What order should results be sorted in?</p> <ul style="list-style-type: none"> • ascending – AZ • descending – ZA
parent			<p>Should the report be filtered to a specific parent page and the child pages of the specific page?</p> <ul style="list-style-type: none"> • Leave empty to include all content in the space • Specify a page title to include the specified page and its child pages • Specify @self to specify the current page
sort		modified	<p>Which report column of the report should results be sorted by?</p> <ul style="list-style-type: none"> • modified – the most recent date on which the content (page or blog post) was modified • pagestate – the current workflow state • statechanged – the most recent date on which the state was changed • title - the content title • approval status - pending, approved, rejected • approvals - approval name
space		current space	<p>Which space(s) should be included in the report?</p> <ul style="list-style-type: none"> • Leave empty to report on the current space • Specify one space key to report on a specific space • List multiple space keys, separated by commas, to report on multiple spaces • Specify any to report on all spaces
state		all	<p>Should the report be filtered to specific state(s)?</p> <ul style="list-style-type: none"> • Leave empty to report on all states • Specify one state name to report on that state • List multiple state names, separated by commas, to report on specific states
workflow		all	<p>Should the report be filtered to states in a specific workflow(s)?</p> <ul style="list-style-type: none"> • Leave empty to report on all states in all workflow • Specify one workflow name to report on states in that workflow • List multiple workflow names, separated by commas, to report on specific states in those workflows <p> You can only specify space workflow names. There is no option to specify a page workflow name.</p>

All examples

- [Using a CQL filter in the document-state-report macro to report on grandchildren of a page](#)

See also

[Workflow Authoring Guide](#)

- [Reviews](#)
- [States](#)
- [Tasks](#)
- [Example - using CQL filter in document-state-report macro](#)

Reporting Guide

- [Document States Report Macro](#)
- [Report on states](#)
- [Report on tasks](#)

Developer Guides

- [CQL REST API](#)