


Tasks

Overview

Comala Document Management introduces the concept of "workflow tasks". They have similar functionality to Confluence tasks, but they don't clutter up the content.



While mostly a tool for content producers to interact with via the user interface, the workflow itself can also interact with tasks.

Creating tasks

Tasks can be [created by users](#), but only in [States](#) which are `taskable`.

Tasks can also be created by the workflow itself, using the `{task}` macro.

```
{workflow:name=Tasks}
  {state:Taskable|taskable=true}
  {state}
  {state:Macro}
    {task:This was created by task macro}
  {state}
{workflow}
```

In this example, the user can create tasks in the **Taskable** state, but not the **Macro** state – because the **Macro** state is not `taskable=true`. When the workflow transitions *in* to the **Macro** state, the workflow will add its own task.

Page mode

In [Page Mode](#) be aware that adding the `{task}` macro to the current state of a workflow will often give unexpected results. That's because the `{task}` macro only works when the state is entered from another state. If you edit the `{task}` macro in to the state you are currently in it won't add any tasks; you would need to transition away from that state first, and then back in to it, for the tasks to be added.

Tip: You can use the [Administrator state override](#) to quickly transition between states.

Completing tasks

The `{complete-task}` macro can be used in an [Event Trigger](#) to automatically complete a specific task.

```

{workflow:name=Tasks}
  {state:Taskable|taskable=true}
  {state}
  {state:Macro}
    {task:This was created by task macro}
  {state}
  {state:Published}
  {state}
  {trigger:statechanged|state=Published}
    {complete-task:task=This task was created by task macro|comment=Auto-complete}
  {trigger}
{workflow}

```

In this example, transitioning to the Published state will automatically complete the task added by the Macro state, if it is not already completed. If it is already completed, the `{complete-task}` macro will just ignore it.

Note: Depending on the event which triggered the action, the [Activity Report - Content](#) may show the user as being [Comala Document Management](#).

Transition when tasks completed

The `{state}` macro can automatically transition to another state when all tasks have been **completed**.

```

{workflow:name=Tasks}
  {state:Taskable|taskable=true}
  {state}
  {state:Macro|completed=Published}
    {task:This was created by task macro}
  {state}
  {state:Published}
  {state}
{workflow}

```

In this example, as soon as all tasks are completed in the **Macro** state the workflow will transition to the **Published** state.

When using this approach, ensure that the state which defines the `completed` parameter adds a task, otherwise there might not be any tasks to complete which would leave no way of exiting that state. An alternate would be to include the `{state-selection}` macro so the user can manually transition out of the state.

Make tasks disable a review

You can make the presence of incomplete tasks disable the Approve and Reject buttons in a review by using [Conditions](#) and [Value References](#) on the `{approval}` macro.

See: [Make tasks disable a review](#)

Note: The `{state-selection}` and `{trigger}` macros can be disabled the same way.

Notifications

By default, task assignees and page watchers will receive notifications about tasks.

Macros

- [complete-task macro](#) — Mark a task as complete
- [state macro](#) — Define workflow states & basic transitions
- [task macro](#) — Add tasks to workflow states

Events

Tasks generate a number of [Events](#), which can be used to [Trigger Actions](#).

- `taskcreated`

- `taskassigned`
- `taskcompleted`
- `taskexpired`

App configuration

Setting	Where	Notes
Tasks Mode	<ul style="list-style-type: none"> • Configuration - Global • Configuration - Space Tools 	Should task actions be restricted to assignee and creator?
State's Task Behaviour	<ul style="list-style-type: none"> • Configuration - Global 	When transitioning to another state, should remaining tasks be copied to it or discarded?
Task – Assignee	<ul style="list-style-type: none"> • Notifications - Global • Notifications - Space Tools 	Should task assignees receive notifications about their tasks?
Task – Page Watchers	<ul style="list-style-type: none"> • Notifications - Global • Notifications - Space Tools 	Should page watchers receive notifications about tasks?

Examples

- [Expiry Dates](#) — States, tasks, and messages can be set to expire on a certain date or after a certain amount of time
- [Make tasks disable a review](#) — Two ways to use tasks to disable a review. The first way uses a precursor task state where the tasks can be set and completed. The second example uses a [Value Reference](#) as a [condition](#) to check that all tasks are complete. For the [value reference](#) method, you will need the [Reporting for Confluence app](#) in addition to Comala Document Management.
- [Reporting app - Tasks on current page](#)

See also

Workflow Authoring Guide:

- [Conditions](#)
- [Events](#)
- [States](#)
- [Transitions](#)
- [Value References](#)

User Guide:

- [Workflow Status Bar](#)
- [Tasks Popup](#)
- [Add Task - Page Tools](#)

Reporting Guide:

- [Report on tasks](#)

Integration Guides:

- [Workflow Supplier](#)

Developer Guides:

- [API Services](#)
- [CQL REST API](#)
- [Workflow Events](#)